



## Male Stainless steel Compression Connectors

### Male Stainless Steel Compression Connectors



Male Stainless steel Compression Connectors

						PART NO.
		mm	mm	mm	mm	
3	1/8	30.5	12.9	2.4	11	D-MC3-R2
3	1/4	35.6	12.9	2.4	14	D-MC3-R4
6	1/8	32.8	15.3	4.8	14	D-MC6-R2
6	1/4	37.9	16.3	4.8	14	D-MC6-R4
6	3/8	38.4	15.3	4.8	19	D-MC6-R6
6	1/2	44.7	15.3	4.8	20	D-MC6-R8
8	1/8	34.2	16.2	4.8	14	D-MC8-R2
8	1/4	38.7	16.2	6.3	14	D-MC8-R4
8	3/8	39.3	16.2	6.3	19	D-MC8-R6
8	1/2	45.6	16.2	6.3	22	D-MC8-R8
10	1/8	36.3	17.2	4.8	17	D-MC10-R2
10	1/4	40.9	17.2	7.9	19	D-MC10-R4
10	3/8	40.9	17.2	7.9	19	D-MC10-R6
10	1/2	46.5	17.2	7.9	22	D-MC10-R8
12	1/4	43.4	22.8	7.1	22	D-MC12-R4
12	3/8	43.4	22.8	9.5	22	D-MC12-R6
12	1/2	49	22.8	9.5	22	D-MC12-R8
12	3/4	50.5	22.8	9.5	27	D-MC12-R12
12	1	57.1	22.8	9.5	35	D-MC12-R16
14	3/8	44.1	24.4	9.5	24	D-MC14-R6
14	1/2	49	24.4	11.1	24	D-MC14-R8

16	3/8	44.1	24.4	9.5	24	D-MC16-R6
16	1/2	49	24.4	11.9	24	D-MC16-R8
16	3/4	50.5	24.4	12.7	27	D-MC16-N12
18	1/2	50.5	24.4	11.9	27	D-MC18-N8
18	3/4	50.5	24.4	15.1	27	D-MC18-R12
20	1/2	52.3	26	15.9	30	D-MC20-R8
20	3/4	57.1	26	18.3	35	D-MC20-R12
25	1/2	57.5	31.3	11.9	35	D-MC25-R8
25	3/4	57.5	31.3	15.8	35	D-MC25-R12
25	1	62.3	31.3	21.8	35	D-MC25-R16

<b>TUBE OD - T</b>	<b>P</b>	<b>A</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>PART NO.</b>
	BSPT (M)	mm	mm	mm	mm	mm	
1/8	1/8	30.5	2.4	11	11	23.9	2D-MCR
1/8	1/4	35.6	2.4	14	11	29	2-4D-MCR
1/4	1/8	32.8	4.8	14	14	25.4	4-2D-MCR
1/4	1/4	37.8	4.8	14	14	30.5	4D-MCR
1/4	3/8	38.4	4.8	19	14	31	4-6D-MCR
1/4	1/2	44.7	4.8	22	14	37.4	4-8D-MCR
5/16	1/4	38.6	6.3	14	16	31.2	5-4D-MCR
3/8	1/8	35.3	4.8	16	17	27.9	6-2D-MCR

3/8	1/4	39.8	7.1	16	17	32.5	6-4D-MCR
3/8	3/8	39.8	7.1	19	17	32.5	6D-MCR
3/8	1/2	46.8	7.1	22	17	38.9	6-8D-MCR
1/2	1/4	43.4	7.1	22	22	33.3	8-4D-MCR
1/2	3/8	43.4	9.6	22	22	33.3	8-6D-MCR
1/2	1/2	49	10.4	22	22	38.9	8D-MCR
1/2	3/4	50.5	10.4	27	22	40.4	8-12D-MCR
1/2	1	57.1	10.4	35	22	47	8-16D-MCR
5/8	3/8	44.2	9.6	24	25	34	10-6D-MCR
5/8	1/2	49	10.4	24	25	38.9	10-8D-MCR
3/4	1/2	50.5	10.4	27	28.5	40.4	12-8D-MCR
3/4	3/4	50.5	15.8	27	28.5	40.4	12D-MCR
3/4	1	57.1	15.8	35	28.5	47	12-16D-MCR
7/8	3/4	50.5	15.8	30	32	40.4	14-12D-MCR
1	1/2	57.4	10.4	35	38	45.2	16-8D-MCR
1	3/4	57.4	15.8	35	38	45.2	16-12D-MCR
1	1	62.2	22.3	35	38	50	16D-MCR

**ADDEESS:**

**CONEX STAINLESS STEEL FITTINGS**

1414 Dalamal tower  
Nariman point  
Mumbai 400021 INDIA

**CONTACTS:**

PHONE : 91-22-43449300

FAX : 91-22-22834046

EMAIL : [sales@conexstainless.com](mailto:sales@conexstainless.com)

**[CONTACT US](#) | [BACK TO HOME PAGE](#)**

**KEYWORDS:**

**Male Stainless Steel Compression Connectors , stainless steel connectors, stainless steel adapters, stainless steel compression fittings, steel compression fittings, compression connector, compression connectors, stainless steel compression fitting ,stainless steel connectors, compression connector, compression fitting, steel compression fittings, ss compression fittings, ss tube fittings, Male Stainless steel Compression Connectors, manufacturer, exporter, india.**